















4















| | Spe | cies in the study are | ea |
|-----|----------------|-------------------------|--|
| | | | |
| A/A | Family | Plant species | South Company of the second |
| 1 | Tamaricaceae | Tamarix sp. | |
| 2 | Rosaceae | Rubus sp. | A CALL AND A CALL |
| 3 | Chenopodiaceae | Sarcocornia perennis 🦯 | |
| 4 | | Halocnemun strobilaceum | |
| 5 | | Suaeda maritima | |
| 6 | | Suaeda splendens | |
| 7 | | Salsola soda | $\mathbf{\lambda}$ |
| 8 | | Salsola kali ssp. kali | |
| 9 | | Halimione portulacoides | a set and the second second |
| 10 | | Chenopodium sp. | The state of the s |
| | | | |

| | 3 | Decles in the | e stu | dy area | |
|---|---------------------------|-----------------------|-------|-------------------------|-----------------------------|
| | | | | 2 | |
| | | | 31 | Poaceae / Gramineae | Lolium perenne |
| | | | 32 | | Cynodon dactylon |
| | | | 33 | | Aeluropus littoralis |
| 1 | Ranunculaceae | Ranunculus muricatus | 34 | | Hordeum marinum |
| 2 | | Ranunculus sardous | 35 | | Hordeum murinum |
| 3 | Caryophylaceae | Spergularia salina | 36 | | Bromus hordeaceus |
| 4 | Gentianaceae | Centaurium pulchellum | 37 | | Bromus squarrosus |
| 5 | Primulaceae | Anagallis arvensis | 38 | | Puccinellia festuciformis |
| 6 | Brassicaceae / Cruciferae | Lepidium sp. | 39 | | Setaria sp. |
| 7 | Aniaceae / Umbelliferae | Bupleurum sp | 40 | | Parapholis incurva |
| 8 | , placeae, empenierae | Torilis sp | 41 | | Avena sp. |
| 0 | | Envirgium compostro | 42 | | Poa sp. |
| 9 | | Eryngium campestre | 43 | | Dasypyrum villosum |
| 0 | | Daucus sp. | 44 | | Palunagan mananalianaia |
| 1 | Plantaginaceae | Plantago coronopus | 45 | | Trifolium ropons son ropons |
| 2 | | Plantago lanceolata | 40 | Fabaceae/Leguininosae | Trifolium physoides |
| 3 | | Plantago major | 47 | | Melilotus indicus |
| 4 | Boraginaceae | Heliotropium sp. | 40 | | Medicago arabica |
| 5 | Plumbaginaceae | Limonium sp. | 50 | | Medicago minima |
| 6 | Malvaceae | Malva nicaeensis | 51 | Compositae / Asteraceae | Anthemis sp. |
| 7 | Ascleniadaceae | Cynanchum acutum | 52 | · · · | Chamomila sp. |
| 8 | Polygonaceae | Polygonum en | 53 | | Crepis setosa |
| 0 | lunesesse | lungua agutua | 54 | | Carlina lanata |
| 9 | Juncaceae | Juncus acutus | 55 | | Cirsium cf vulgare |
| J | Euphorbiaceae | Euphorbia nelloscopia | 56 | | Xanthium spinosum |
| | | | 57 | | Bellis sp. |
| | | | 58 | | Cardus pycnocephalus |
| | | | 59 | | Silybum marianum |
| | | | 60 | | Sonchus sp. |
| | IN SCIENCE & TECHNOLOGY | | 61 | | Cynara sp. |











